

Permethrin 5%:

- \* **WHO Essential Medicine**
- \* **FDA Approved**
- \* **NHS Recommended**

### **Better Efficacy**

Proven to be more effective than:

- \* Benzyl benzoate<sup>10</sup>
- \* Oral ivermectin (single dose)
- \* Gamma benzene hexachloride<sup>5</sup>

### **Better Compliance**

- \* Single Application

### **Best Safety Profile**

- \* Less irritation than benzyl benzoate or lindane<sup>2</sup>
- \* Treatment of choice in pregnancy and breast-feeding in USA & UK<sup>3,4</sup>
- \* Risk Factor B<sup>11</sup>
- \* Drug of choice in patients with HIV<sup>6,7</sup>

Permethrin 5% Lotion

SO

**Skabi-Rid<sup>®</sup>**



**Drug of Choice for Scabies  
in the Developed World**

*Off label Skabi-Rid is used for treatment  
of resistant lice infestation<sup>9</sup> :*  
**[www.skabi-rid.com/lice](http://www.skabi-rid.com/lice)**

SO

**Skabi-Rid<sup>®</sup>**

Permethrin 5% Lotion

1. Permethrin; Micromedex 2001  
2. Acta Derm Venereol; 1989; 69(4): 348-51  
3. CDC 1998; Guidelines for the treatment of sexually transmitted diseases MMWR 1998; 47:1116  
4. Clinical Effectiveness Group; National guidelines for the treatment of scabies. Sex Transm Inf 1999;75 (suppl) 5767  
5. Cochrane Database; Syst Review 2007 Jul 18;(3)  
6. Semin Dermatol. 1993 Dec; 12(4): 296-300  
7. Anon: New info for Pharmacists on treatment of parasitic diseases. 18th World Congress of Dermatology  
8. Roth WJ, J Am Acad Dermatol 1991; 24: 502-502  
9. Virginia dept of Health; Pediculosis Management, Aug 2008  
10. Single center investigator blind parallel group study to determine the safety and efficacy of a single application Permethrin 5% lotion versus two applications of benzyl benzoate 25% emulsion in the treatment of scabies; Clinical Study Report, SACT 13/2002  
11. Interactive Medicine Communications; pharm-sci.tbzmed.ac.ir/Drug-Information, 2000

**tomar**  
medicines

Applicant:  
TomarMed (Pty) Ltd  
26 Wilson St, Knysna, 6570  
info@skabi-rid.com  
www.skabi-rid.com